

Request PDF | Effects of polymer grain boundary passivation on organic-inorganic hybrid perovskite field-effect transistors | Despite successful applications of solution-processed organic ...

Organometal halide perovskite semiconductors could potentially be used to create field-effect transistors (FETs) with high carrier mobilities. However, the performance of these transistors is currently limited by the migration of ionic surface defects. Here, we show that a surface cleaning and passivation technique, which is based on a sequence of three solution ...

Perovskite-based photo-batteries (PBs) have been developed as a promising combination of photovoltaic and electrochemical technology due to their cost-effective design and significant increase in solar-to-electric power conversion efficiency. The use of complex metal oxides of the perovskite-type in batteries and photovoltaic cells has attracted considerable ...

Although PCBM has shown to have an excellent passivation effect to the surfaces as well as the grain boundaries of perovskite materials, due to its low-lying lowest unoccupied molecular orbital level (LOMO), the open-circuit voltage of PCBM based inverted structured perovskite solar cells are still much lower (usually below 1.0 V) [61], [139], [140], ...

The primary role of the perovskite layer is to absorb light energy. As the key material in PSCs, passivating the perovskite layer plays a vital role in the final performance of the solar cell [52], [53]. The fabrication process of the perovskite active layer leads to the formation of defects, causing the recombination of holes and electrons, which in turn reduces device ...

Perovskite solar cells have made significant strides in recent years. However, there are still challenges in terms of photoelectric conversion efficiency and long-term stability associated with perovskite solar cells. The presence of defects in perovskite materials is one of the important influencing factors leading to subpar film quality. Adopting additives to passivate ...

Perovskite solar cells have become a very researchable topic because of their interesting properties and very high-power conversion efficiency. Defects in the absorber layer are the origin of trap-states and hinder the power conversion efficiency of perovskite solar cells in approaching the Shockley-Queisser limit. Here, P-I-N structured devices were fabricated and ...

Low-temperature measurement of the ion-transport-mitigated CsPbBr 3 perovskite FET. a) A plot of linear field effect mobility (m lin) versus inverse temperature for the CsPbBr 3 perovskite FET. Each regime of I, II, ...

Perovskite light-emitting diodes (PeLEDs) have emerged as a cutting-edge area of research, holding immense



potential in the field of displays due to their exceptional properties such as high color purity luminescence and tunable emission wavelengths (1-6).For full-color display applications, efficient PeLEDs with high color purity of blue, green, and red are required.

Recent Progress of Surface Passivation Molecules for Perovskite Solar Cell Applications. Baohua Zhao 1, Teng Zhang 2,*, Wenwen Liu 2, Fansong Meng 2, Chengben Liu 1, Nuo Chen 2, Zhi Li 3, Zhaobin Liu 3, Xiyou Li 2,*. 1 College of ...

Organic-inorganic metal halide perovskite solar cells have achieved high efficiency of 25.5%. Finding an effective means to suppress the formation of traps and correlate stability losses are thought to be a promising route for further increasing the photovoltaic performance and commercialization potential of perovskite photovoltaic devices. Herein, we ...

All the achievements have been accompanied by diverse passivation strategies to circumvent the pervasive defects in perovskite materials, which play crucial roles in the process of charge recombination, ion migration, and component ...

This points toward a higher electron concentration close to the interface in the perovskite, probably caused by a positive fixed charge. Historically, such an effect of passivation by reduced minority charge carrier concentration at the surface/interface is well-known, e.g., from silicon solar cells, where it was termed field effect passivation.

The term "passivation" in field-effect passivation implies a virtual imbalance between the populations of positive and negative charges near the interface between the perovskite layer and transporting layers (interface, hereafter), preventing minority carrier recombination at the photo-absorber surface and yielding a low contact resistance for the majority carrier. 25,117 The ...

Organic/inorganic metal halide perovskites attract substantial attention as key materials for next-generation photovoltaic technologies due to their potential for low cost, high performance, and ...

Perovskite films deposited by the hybrid approach usually have inferior grain size, crystal quality, and optoelectronic properties in comparison to their spin-coated counterparts. 25 Additionally, the high defect density generated at the contact between the perovskite surface and the commonly used electron transport layer (ETL) C 60 further exacerbates the radiative ...

Sn-Pb perovskite solar cells, which have the advantages of low toxicity and a simple preparation process, have witnessed rapid development in recent years, with the power conversion efficiency for single-junction solar cells exceeding 23%. Nevertheless, the problems of poor crystalline quality of Sn-Pb perovskite films arising from rapid crystallization rate and ...



Here, novel field-effect passivation has been successfully induced to effectively suppress the interfacial recombination and improve interfacial charge transfer by incorporating interfacial polarization via inserting a high work function interlayer between perovskite and holes transport layer. The charge dynamics within the device and the ...

In the present study, we investigate in detail the forma-tion of the interface between C60 and a state-of-the-art mixed cation mixed halide perovskite with a precursor ...

DOI: 10.1002/aenm.202201109 Corpus ID: 249969634; Field Effect Passivation in Perovskite Solar Cells by a LiF Interlayer @article{Menzel2022FieldEP, title={Field Effect Passivation in Perovskite Solar Cells by a LiF Interlayer}, author={Dorothee Menzel and Amran Al-Ashouri and Alvaro Tejada and Igal Levine and Jorge Andr{"e}s Guerra and Bernd Rech and Steve ...

Organometal halide perovskite semiconductors could potentially be used to create field-effect transistors (FETs) with high carrier mobilities. However, the performance of these transistors is ...

Request PDF | A solvent-based surface cleaning and passivation technique for suppressing ionic defects in high-mobility perovskite field-effect transistors | Organometal halide perovskite ...

The unique interfacial dipoles reinforce the built-in field and prevent the photogenerated charges from recombining, resulting in power conversion efficiency up to 21.7% with negligible hysteresis. Furthermore, the ...

Previously, the material used for passivation was silicon dioxide (SiO 2). The SiO 2 removes surface dangling bonds effectively and has a high fixed charge density, so it is widely used as a surface passivation stacked with SiN x []. Thermal oxidation, ALD and PEALD methods were used for deposition of SiO x. The thermally grown SiO x is deposited at about ...

In the end, challenges and prospective research directions on advancing these passivation strategies are proposed. Judicious combinations among chemical, physical, energetic, and field-effect passivation deserve more attention for future ...

To achieve high power conversion efficiency in perovskite/silicon tandem solar cells, it is necessary to develop a promising wide-bandgap perovskite absorber and processing techniques in relevance.

Surface passivation with 2D perovskites is a powerful strategy to achieve improved stability and performance in perovskite solar cells (PSCs). Various large organic cations have been successfully implemented, led by ...

Effects of polymer grain boundary passivation on organic-inorganic hybrid perovskite field-effect transistors ... such as screening of gate electric fields, lowered device on-off ratios and field-effect mobility, and large



hysteresis in the FET transfer characteristics. Here, we report improved performances of the MAPI-based FET via a polymer-additive-based ...

The full potential of perovskite solar cells (PSCs) is limited by charge-carrier recombination, due to the imperfect passivation methods. Here, interfacial recombination loss of field-effect and ...

Request PDF | Field Effect Passivation in Perovskite Solar Cells by a LiF Interlayer | The fullerene C60 is commonly applied as the electron transport layer in high-efficiency metal halide ...

A power conversion efficiency of 33.89% is achieved in perovskite/silicon tandem solar cells by using a bilayer passivation strategy to enhance electron extraction and ...

As observed in the experiment, the passivation effect of PTT decreases the fastest during the vacuum heating and solvent washing process, ... This charge distribution implies that the electron transfer from the passivation molecule to the perovskite and a built-in electric field is induced, which is beneficial to the separation of carriers and helps HTM to ...

This article reviews the technologies for defect passivation in perovskite-based devices. The effect of defect passivation has been analyzed using various methodologies: (1) surface analysis using atomic force microscopy (AFM) and scanning electron microscopy (SEM), (2) bandgap and charge carrier lifetime analysis using photoluminescence (PL ...

(A) Illustration of the structure of perovskite solar cells, including ETL, perovskite light absorbers and HTL. The passivation layer is introduced to improve the energy conversion parameters.

The term "passivation" in field-effect passivation implies a virtual imbalance between the populations of positive and negative charges near the interface between the perovskite layer ...

Web: https://saracho.eu

WhatsApp: https://wa.me/8613816583346